

HEPATITIS C IS PASSED BLOOD TO BLOOD

Know how to
protect yourself
and others




Canada's source for
HIV and hepatitis C
information

HEPATITIS C IS PASSED BLOOD TO BLOOD

Know how to protect yourself and others

- Use new needles, syringes, filters, washes, water and cookers if you inject drugs.
- Use your own pipe or stem and mouthpiece if you smoke drugs.
- Use your own rolled paper or straws if you snort drugs.
- Use only sterile equipment, new needles and new ink if you get a tattoo or piercing.
- Use your own personal care items such as razors, nail clippers and toothbrushes.
- Use condoms and lube if you are having sex that has a higher chance of hepatitis C transmission.



- Although not common, hepatitis C can be passed from parent to child during pregnancy or childbirth.
- Sexual transmission of hepatitis C is rare. The risk increases with certain factors such as condomless anal sex, HIV, sexually transmitted infections, sex where blood is present, group sex, and chemsex.

Production of this publication has been made possible through financial contributions from the Ontario Ministry of Health and Long-Term Care and the Public Health Agency of Canada. The views expressed herein do not necessarily represent the views of our funders.

© 2019, CATIE (Canadian AIDS Treatment Information Exchange). All rights reserved. CATIE Ordering Centre No: ATI-70204_10.